

Installation Guide

Avigilon Indoor/Outdoor Junction Box for HD Bullet Cameras:

H3-B0-JB

Installation


Package Contents

Ensure the package contains the following:

- Avigilon Indoor/Outdoor Junction Box for the HD Bullet Camera
- Teflon Sealing Tape
- Avigilon HD Bullet Junction Box Mounting Template
- 3/4" NPT closure plug
- 4 screws for attaching the HD Bullet Camera to the junction box

Mounting the HD Bullet Junction Box

- Use the Junction Box Mounting Template to drill four mounting holes into the mounting surface.
- If you are storing the cables inside the wall, drill the center hole on the mounting template.
- Prepare the cable entry holes on the junction box. The junction box has two 3/4" NPT cable entry holes: one at the center of the junction box and one on the side.




- Use the provided 3/4" NPT plug to close the unused cable entry hole.
- Attach a conduit connector to the preferred cable entry hole. Install the conduit and its fitting as instructed by the manufacturer.
 - When installing outdoors, wrap the thread of the
 conduit connector with the supplied Teflon sealing tape
 to create a water tight seal around the camera
 connection and the cable conduit hole. When applying
 the Teflon sealing tape, be sure to wrap in the same
 direction that the mount will be tightened. This will
 ensure the tape does not unravel when installing the
 mating parts together.

NOTE: To maintain the junction box's vandal resistant design, only use vandal resistant conduits.

When installing the HD Bullet Camera outdoors, ensure the conduit and its fitting are designed for outdoor use. They must have a suitable IP rating for the environment that the camera is installed.

- Pull the cables through the conduit connector and cable entry hole.
- 5. Mount the junction box.
 - When using the center cable entry hole, make sure there is a watertight seal when installing outdoors. Apply an adhesive that is appropriate for the mounting surface around the cable entry on the back of the junction box.
 - When using the side cable entry hole, make sure it is facing downwards.
 - Use screws that are appropriate for the mounting surface.
 You can use the screws provided with the HD Bullet
 Camera.
- Install the HD Bullet Cameras as described in the camera's installation guide.

- a. Use the screws provided with the junction box to mount the HD Bullet Camera to the junction box.
- When installing outdoors, make sure the mounting gasket provided with the camera is used to maintain the bracket's water resistance.



NOTE: Make sure the cables are carefully tucked into the junction box and are not pinched.

Limited Warranty & Technical Support

Avigilon warrants to the original consumer purchaser, that this product will be free of defects in material and workmanship for a period of 3 years from date of purchase.

The manufacturer's liability hereunder is limited to replacement of the product, repair of the product or replacement of the product with repaired product at the discretion of the manufacturer. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering or other causes not arising from defects in material or workmanship. This warranty extends to the original consumer purchaser of the product only.

AVIGILON DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT THAT ANY WARRANTIES IMPLIED BY LAW CANNOT BE VALIDLY WAIVED.

No oral or written information, advice or representation provided by Avigilon, its distributors, dealers, agents or employees shall create another warranty or modify this warranty. This warranty states Avigilon's entire liability and your exclusive remedy against Avigilon for any failure of this product to operate properly.

In no event shall Avigilon be liable for any indirect, incidental, special, consequential, exemplary, or punitive damages whatsoever (including but not limited to, damages for loss of profits or confidential or other information, for business interruption, for personal injury, for loss of privacy, for failure to meet any duty including of good faith or of reasonable care, for negligence, and for any other pecuniary or other loss whatsoever) arising from the use of or inability to use the product, even if advised of the possibility of such damages. Since some jurisdictions do not allow the above limitation of liability, such limitation may not apply to you.

This Limited Warranty gives you specific legal rights and you may also have other rights which vary from jurisdiction to jurisdiction.

Warranty service and technical support can be obtained by contacting Avigilon Technical Support by phone at 1.888.281.5182 or via email at support@Avigilon.com.