

Installation Guide

Avigilon Indoor/Outdoor Pendant Mount Bracket:

MNT-PEND-WALL

Installation

Package Contents

Ensure the package contains the following:


- Avigilon Indoor/Outdoor Pendant Mount with gasket
- Teflon Sealing Tape
- Drill template
- 3/4" NPT closure plug

Mounting the Indoor/Outdoor Pendant Mount

Perform the following steps to mount the indoor/outdoor pendant mount bracket to the wall:

NOTE: Be aware that the weather sealing ability of the final assembly will depend on the specific mounting surface and the installation methods employed.

1. Determine where the cables will enter the bracket. The bracket can accept cable entry through the back of the mounting base or through a 3/4" NPT entry at the base of the bracket.



- a. If using the cable entry hole at the back of the mounting base, use the 3/4" NPT closure plug to close the entry hole at the base of the bracket.
 - When installing outdoors, wrap the thread of the plug with the supplied Teflon sealing tape to create a water tight seal around the camera connection and the cable conduit hole. When applying the Teflon sealing tape, be sure to wrap in the same direction that the mount will be tightened. This will ensure the tape does not unravel when installing the mating parts together.
- b. If using the cable conduit entry, attach a conduit connector to the cable entry hole. Install the conduit and its fitting as instructed by the manufacturer.

NOTE: Only vandal resistant conduits should be used to protect the cables, and be compatible with the pendant mount's vandal resistant design.


When installing the dome camera outdoors, ensure the conduit and its fitting are designed for outdoor use. They must have a suitable IP rating for the environment that the dome camera is installed.

2. Use the drill template to drill four mounting holes in the wall.
3. Pull the cables through the bracket then mount the bracket to the wall surface.

When installing outdoors, be sure to create a waterproof seal with an appropriate sealant between the gasket and the mounting surface.

4. Install the camera as described in the camera's installation guide.

When installing outdoors, use Teflon sealing tape to create a water tight seal, refer to step 1a.



Limited Warranty & Technical Support

Avigilon warrants to the original consumer purchaser, that this product will be free of defects in material and workmanship for a period of 3 years from date of purchase. The manufacturer's liability hereunder is limited to replacement of the product, repair of the product or replacement of the product with repaired product at the discretion of the manufacturer. This warranty is void if the product has been damaged by accident, unreasonable use, neglect, tampering or other causes not arising from defects in material or workmanship. This warranty extends to the original consumer purchaser of the product only.

AVIGILON DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT TO THE EXTENT THAT ANY WARRANTIES IMPLIED BY LAW CANNOT BE VALIDLY WAIVED.

No oral or written information, advice or representation provided by Avigilon, its distributors, dealers, agents or employees shall create another warranty or modify this warranty. This warranty states Avigilon's entire liability and your exclusive remedy against Avigilon for any failure of this product to operate properly.

In no event shall Avigilon be liable for any indirect, incidental, special, consequential, exemplary, or punitive damages whatsoever (including but not limited to, damages for loss of profits or confidential or other information, for business interruption, for personal injury, for loss of privacy, for failure to meet any duty including of good faith or of reasonable care, for negligence, and for any other pecuniary or other loss whatsoever) arising from the use of or inability to use the product, even if advised of the possibility of such damages. Since some jurisdictions do not allow the above limitation of liability, such limitation may not apply to you.

This Limited Warranty gives you specific legal rights and you may also have other rights which vary from jurisdiction to jurisdiction.

Warranty service and technical support can be obtained by contacting Avigilon Technical Support by phone at 1.888.281.5182 or via email at support@Avigilon.com.

